INTERMEDIATE STATION #2: AIRWAY FINISH: _____

START: _____

TIME LIMIT: 15 MINUTES

Candidate Name:	_#		Date:	
SKILL DESCRIPTION	YES	NO	COMMENTS	
1. OXYGEN, BAG VALVE MASK				
A. Takes or verbalizes Body Substance Isolation (BSI) precautions				
B. Attaches oxygen tubing (Regulator to Reservoir)				
C. Inserts Oral Airway				
D. Uses 10 - 15 Liters Per Minute (LPM) Oxygen				
E. Ventilates manikin every $5-6$ seconds with chest rise		Critical Skill		
2. OXYGEN – SUPPLEMENTAL			-	
A. Applies Non Rebreather Mask with Reservoir inflated				
3. ENDOTRACHEAL INTUBATION Patient is being ventilated and is in correct anatomical position				
A. Directs ventilation of patient				
B. Assembles Equipment				
C. Checks cuff for leaks				
D. Lubricates cuff				
Basic care is stopped				
E. Uses left hand to advance laryngoscope into the oropharynx until vocal cords are visualized (NOTE: Candidates may use right hand if they bring appropriate blades.)		Critical Skill		
F. Teeth NOT used as fulcrum		Critical Skill		
G. Inserts ET and removes laryngoscope		Critical Skill		
H. Inflates distal cuff until resistance is met		Critical Skill		
I. Ventilates, and auscultates both lungs and epigastrum		Critical Skill		
J. Attaches and verifies tube placement by ETCO ₂ Detector or E.D.D.		Critical Skill		
K. Secures tube in place		Critical Skill		
L. Patient NOT WITHOUT ventilations for more than 30 seconds		Critical Skill		
Passing Criteria: All Critical Skills "Yes" and no more than	n 2 other	"No's"		
Total "No's" other than "Critical Skill:	P	ass:	Fail:	
F	Examiner:			
CONCINUED	•			

PAGE - 1 of 2

(Maine EMS Skillsheet – Series ALSINT#2 – 08/01/02)

INTERMEDIATE STATION #2: AIRWAY

Page -2 of 2

SKILL DESCRIPTION YES **COMMENTS** NO 4. NEBULIZED MEDICATION – Assume BSI Verbalizes contact with Medical Control for permission to administer medication. Identifies medication to be administered, Critical Skill route of administration and dosage. B. Checks vial for: medication name, expiration date, and Critical Skill contaminants. C. Assembles the nebulizer device. Critical Skill D. Places 2.5 mg of Albuterol in 3 cc of Normal Saline into the Critical Skill reservoir well. E. Connects device to oxygen supply and administers nebulizer with Critical Skill oxygen flow of 6 - 12 liters per minute. F. Instructs patient on how to inhale medication. Critical Skill Verbalizes reassessment of patient vital signs and ECG after Critical Skill treatment.

Passing Grade: All Critical Skills Performed.	Pass:	Fail:	
	Examiner:		

(Maine EMS Skillsheet - Series ALSINT#2 - 12/06)